



Product Detail

Our sanding discs are made from high quality aluminum oxide abrasive, which is durable and anti-clogging. The aluminum oxide grain delivers a fast cut and a smooth finish on your project. Open-coat produces an even and consistent scratch pattern, special stearate coating offers better surface finishes, and perfect cleaning and polishing effects.

A00003

Aluminum Oxide Sanding Disc

Spec.	Grit	Backing
115mm	40#-2500#	Velcro/PSA
125mm	40#-2500#	Velcro/PSA
150mm	40#-2500#	Velcro/PSA
Customized	40#-2500#	Velcro/PSA



Product Detail

Gold sanding disc has special anti-clog coating extends performance. Made from high quality aluminum oxide abrasive, durable and anti-clogging, ideal for a fast cut and a smooth finish on your project.

Gold sanding disc works with grinding and finishing on metal and non-metal, wood, rubber, leather, plastic, stone, glass and other materials. Widely used in the grinding and polishing of metal and non-metallic materials of various complex surface rust. Including bare wood, painted surface and metal, aluminium alloy, rubber, leather, plastic stone, glass and other materials.

A00004

Gold Aluminum Oxide Sanding Disc

Spec.	Grit	Backing
115mm	40#-600#	Velcro/PSA
125mm	40#-600#	Velcro/PSA
150mm	40#-600#	Velcro/PSA
Customized	40#-600#	Velcro/PSA



Product Detail

Made with polyester film, premium grain, strong resin bond and special steared coating, our orbital sander pads are tear-resistant. They are great for corners, edges, and irregular shapes! Can be used for both wet and dry sanding applications. Excellent performance and outstanding surface finish. Widely used for automotive work, car polishing, wood working, metal working, sanding down primers, fiberglass and plastics.

A00005

Green Flim Sanding Disc

Spec.	Grit	Backing
115mm	40#-2000#	Velcro/PSA
125mm	40#-2000#	Velcro/PSA
150mm	40#-2000#	Velcro/PSA
Customized	40#-2000#	Velcro/PSA
		Velcro/PSA



Product Detail

Dry sanding discs: Prevent clogging, anti-static, good flexibility, wear resisting. It can be widely used in automobiles, electric machinery metal goods, furniture instrument, handicraft article, plastic, leather, stone surface cutting and polishing.

A00006

Super Coated White Sanding Disc

Spec.	Grit	Backing
115mm	40#-1000#	Velcro/PSA
125mm	40#-1000#	背绒/背胶
150mm	40#-1000#	背绒/背胶
Customized	40#-1000#	背绒/背胶



Product Detail

Made with our superior X-Weight clothed backing, an open coat aluminum oxide grain, and an impressive resin on resin bond that ensures long lasting performance

Works with the belt sanding machines and applications – providing a heavy duty stripping and sanding tool for wood, aluminum, fiberglass, rubber, plastic and non-ferrous metals

A00007

Aluminum Oxide Sanding Belt

Spec.	Grit	Backing
10x330mm	40#-400#	X-Wt Cloth
75x533mm	40#-400#	X-Wt Cloth
100x610mm	40#-400#	X-Wt Cloth
100x915mm	40#-400#	X-Wt Cloth
150x1219mm	40#-400#	X-Wt Cloth
Customized	40#-400#	X-Wt Cloth



Product Detail

The Zirconium Sanding Belt was designed to give you a cost effective solution to your initial sanding, rapid removal, hardwood flooring and woodworking applications. Whether used on wood, ferrous or non-ferrous metal, these large fracture plane belts will showcase their true value with superior quality and precision cutting action. Made with closed coat Zirconia Alumina (also known as Zirc or Zirconium) grain, these belts work best under pressure, and self-sharpen as they cut – delivering long-term performance. Each sander belt features a heavy duty Y-weight cloth backing and are resin bonded to resist both, clogging and loading. It’ s unique size makes it ideal for jobs that utilize standard sized sander equipment. Additionally, these belt are heat and moisture resistant – giving you total versatility for an assortment of abusive applications such as stock removal.

A00008

Zirconium Sanding Belt

Spec.	Grit	Backing
75x533mm	36#-120#	Y-Wt Cloth
100x610mm	36#-120#	Y-Wt Cloth
100x915mm	36#-120#	Y-Wt Cloth
150x1219mm	36#-120#	Y-Wt Cloth
Customized	36#-120#	Y-Wt Cloth



Product Detail

The Surface Conditioning belt works well to remove coarse grindlines, mill marks, or small burrs left by cutting tools or conventional abrasives. Thin width belts are ideal for blending and finishing right angle welds on stainless steel. with flexible Non-Woven, Nylon Mesh Fibers, Impregnated with abrasive grains. These conditioning belts are engineered to reduce heat buildup thus reducing the chance of damaging or discoloring the work material.

A00010

Non-woven Sanding Belt

Spec.	Grit	Backing
13x457mm	Corse/Medium/Fine	Non-woven Cloth
10x330mm	Corse/Medium/Fine	Non-woven Cloth
40x305mm	Corse/Medium/Fine	Non-woven Cloth
150x1219mm	Corse/Medium/Fine	Non-woven Cloth
Costomized	Corse/Medium/Fine	Non-woven Cloth



Product Detail

Premium Silicon Carbide Sanding Belts , Silicon Carbide , closed coat, heavy duty Y weight polyester cloth backing. High quality and long lasting industrial abrasive sanding belts provide a sharp and long lasting cut on glass, stone, granite, composites, wood, plastics and metal. Heavy duty Y-wgt material provides extra strength for working with grinding and smoothing applications, Resin over resin bonding. Bi-directional tape joint. Wet or Dry applications.

A00027

Silicon Carbide Sanding Belt

Spec.	Grit	Backing
100x610mm	36#-600#	X-Wt Cloth/Y-Wt Cloth
100x915mm	36#-600#	X-Wt Cloth/Y-Wt Cloth
Costomized	36#-600#	X-Wt Cloth/Y-Wt Cloth



Product Detail

Made of premium aluminum oxide grain and C-weight paper, our sandpaper provides long lasting grits. Our sandpapers provide exceptional sanding performance on metal, wood, rubber, leather, plastic, stone, fiberglass and other materials, ideal for grinding and finishing.

A00011

White Sandpaper Sheet

Spec.	Grit	Backing
230x280mm	120#-1000#	Latex Paper



Product Detail

Made of premium aluminum oxide grain and krapft paper, our sandpaper provides long lasting grits. Our sandpapers provide exceptional sanding performance on metal, wood, rubber, leather, plastic, stone, fiberglass and other materials, ideal for grinding and finishing.

A00012

Aluminum Oxide Sandpaper Sheet

Spec.	Grit	Backing
230x280mm	40#-600#	Kraft Paper



Product Detail

Waterproof Sandpaper has long been a great choice for auto repair jobs – there's no need to spend extra time switching sandpaper between wet sanding and dry sanding. A full range of grades features silicon carbide abrasives mounted on flexible, waterproof paper for consistently excellent results. Waterproof Sandpaper can be used by hand or for machine sanding.

A00013

Silicon Carbide Sandpaper Sheet

Spec.	Grit	Backing
230x280mm	60#-3000#	Latex Paper



Product Detail

Durable Velcro back, can bring you a perfect cleaning and polishing effect. Suitable for grinding and polishing metal, non-metallic, wood, rubber, leather, plastics, stone, glass and other materials.

A00024

Sanding Sheets

Spec.	Grit	Backing
93x230mm	40#-2500#	Hook and Loop(C D E Wt Paper)
Customized	40#-2500#	Hook and Loop(C D E Wt Paper)



Product Detail

Good choice for sanding and polishing. Triangle sandpapers are made of aluminium oxide abrasive, durable and anti-static. The grit is larger, the polish effect is finer. Suitable for using with 90mm triangle sanders. Hook and loop back, and pre-punched with 6 holes for dust extraction, easy to use. Apply to metal and non-metal, wood, rubber, leather, plastic, stone, glass and other materials grinding, polishing and so on.

A00025

Triangle Sanding Sheets

Spec.	Grit	Backing
90x90x90mm	40#-2500#	Hook and Loop(C D E Wt Paper)
Customized	40#-2500#	



Product Detail

Mouse sandpapers are made from aluminium oxide abrasive, durable and anti-static. The grit is larger, the polish effect is finer. Widely used in the grinding and polishing of metal and non-metal, wood, rubber, leather, plastic, stone, glass and other materials. With the Velcro backing is more easy and convenient to change and well fitting in the sander during working.

A00026

Mouse Shaped Sanding Sheets

Spec.	Grit	Backing
140x90mm	40#-2500#	Hook and Loop(C D E Wt Paper)
Customized	40#-2500#	Hook and Loop(C D E Wt Paper)



Product Detail

The sanding sponge easily fits into the palm of your hand and is ideal for sanding a variety of surfaces. Due to its shape, construction and controlled flexibility the standard four side sanding sponge block can operate in the most awkward places. High-quality brown corundum is an extremely tough, wedge shape grain, for high speed penetration of tough materials without excessive shedding or fracturing of the grain. Great for Wood, Metal, Drywall, and Paint Hi-Performance, particularly suited well for grinding high tensile strength materials as hard woods and alloy steels.

A00015

Sanding Sponge

Spec.	Grit	Backing
100x70x25mm	Coarse/Medium/Fine	



Product Detail

Fiber Discs are manufactured using premium Aluminum Oxide within a coat of resin bonding agent, atop a heavy-duty vulcanized fiber backing. By utilizing top performing abrasive grains Fiber Discs are able to provide superior grinding performance and extended useful life.

A00016

Aluminum Oxide Fiber Disc

Spec.	Grit	Backing
100x16mm	16#-120#	Vulcanized Fibre
115x22mm	16#-120#	Vulcanized Fibre
125x22mm	16#-120#	Vulcanized Fibre



Product Detail

Zirconia resin fiber grinding discs are designed for use on stainless steel and hard-to-grind metals. Use them to strip, grind, de-burr, and polish; they have a super-sharp durable grain for fast stock removal and long life.

A00017

Zirconium Fiber Disc

Spec.	Grit	Backing
100x16mm	16#-120#	Vulcanized Fibre
115x22mm	16#-120#	Vulcanized Fibre
125x22mm	16#-120#	Vulcanized Fibre



Product Detail

Ceramic Fiber Discs are manufactured using premium Red Ceramic within a coat of resin bonding agent, atop a heavy-duty vulcanized fiber backing. By utilizing top performing abrasive grains Ceramic Fiber Discs are able to provide superior grinding performance and extended useful life.

A00018

Ceramic Fiber Disc

Spec.	Grit	Backing
100x16mm	16#-120#	Vulcanized Fibre
115x22mm	16#-120#	Vulcanized Fibre
125x22mm	16#-120#	Vulcanized Fibre